*** GTITM Thu Dec 09 17:01:32 2004 *** UPOVROM

COUNTRY/AUTHORITY

IDENTIFIER LATIN NAME

DENOMINATION/proposed

BREEDER'S REFR. APPL./FILING NUMB. APPL./FILING DATE DATE PUBL. APPL./FILING

APPLICANT BREEDER

: QZ : PBR 030198

: Lobelia erinus L.

: 2003.02.0**WESLOSPOT**

: weslospot : 20030198 : 2003.02.03

: 2003.04.15

: WESTHOFF J. + H. : WESTHOFF J. + H.

Refine Search

Search Results -

Term	Documents	
WESLOBA		
WESLOBAS	0	
(WESLOBA AND 1).PGPB,USPT.	1	
(L1 AND WESLOBA).PGPB,USPT.	1	

US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index

Derwent World Patents Index IBM Technical Disclosure Bulletins

Search:

//////////////////////////////////////	

Refine Search

Recall Text 👄

Clear

Interrupt

Search History

DATE: Thursday, December 09, 2004 Printable Copy Create Case

Set Name side by side	Query	Hit Count	<u>Set</u> <u>Name</u> result set
DB=B	PGPB,USPT; THES=ASSIGNEE; PLUR=YES; OP=ADJ		
<u>L3</u>	L1 and wesloba	1	L3
<u>L2</u>	L1 and weslospot	1	 L2
<u>L1</u>	(Lobelia or lobelia or lobelia adj X adj hybrida or lobelia adj x adj hybrid or lobelia adj hybrids or lobelia adj erinus)	150	<u>L1</u>

END OF SEARCH HISTORY

Hit List

Clear Generate Collection Print Fwd Refs Bkwd Refs
Generate OACS

Search Results - Record(s) 1 through 1 of 1 returned.

1. Document ID: US 20040199971 P1

Using default format because multiple data bases are involved.

L2: Entry 1 of 1

File: PGPB

Oct 7, 2004

PGPUB-DOCUMENT-NUMBER: 20040199971

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20040199971 P1

TITLE: Lobelia plant named 'Weslospot'

PUBLICATION-DATE: October 7, 2004

INVENTOR-INFORMATION:

NAME

CITY

STATE

COUNTRY

RULE-47

Westhoff, Heinrich

Sudlohn

DE

US-CL-CURRENT: PLT/268

Full Title Citation Front Review Classification Date Reference	e Sequences Attachments Claims Komo
lear Generate Collection Print Fwd Refs	Bkwd Refs Generate OAC
Term	Documents
WESLOSPOT	1
WESLOSPOTS	0
(WESLOSPOT AND 1).PGPB,USPT.	
(L1 AND WESLOSPOT).PGPB,USPT.	

Display Format: - Change Format

Previous Page

Next Page

Go to Doc#

Set Items Description lobelia erinus 2348 LOBELIA 98 LOBELIAS 0 LOBELIA X HYBRID 0 LOBELIA X HYBRIDA 0 LOBEIA X HYBRIDS 74 LOBELIA ERINUS S12386 LOBELIA OR LOBELIAS OR LOBELIA X HYBRID OR LOBELIA X HYBRIDA OR LOBEIA X HYBRIDS OR LOBELIA ERINUS ?s S1 and Weslospot 2386 S1 1 WESLOSPOT S2 1 S1 AND WESLOSPOT ?s S1 and wesloba 2386 S1 1 WESLOBA 1 S1 AND WESLOBA S3

t s2/9, k/1

>>>KWIC option is not available in file(s): 399

?s lobelia or lobelias or lobelia X hybrid or lobelia X hybrida or Lobeia X hybrids or lobelia erinus

2348 LOBELIA

98 LOBELIAS

0 LOBELIA X HYBRID

0 LOBELIA X HYBRIDA

0 LOBEIA X HYBRIDS

74 LOBELIA ERINUS

2386 LOBELIA OR LOBELIAS OR LOBELIA X HYBRID OR LOBELIA X S1 HYBRIDA OR LOBEIA X HYBRIDS OR LOBELIA ERINUS

?s S1 and Weslospot

2386 S1 1 WESLOSPOT

S21 S1 AND WESLOSPOT

?s S1 and wesloba

2386 S1

1 WESLOBA

S3 1 S1 AND WESLOBA

2 t s2/9, k/1

>>>KWIC option is not available in file(s): 399

(Item 1 from file: 654)

DIALOG(R) File 654:US Pat. Full.

(c) Format only 2004 The Dialog Corp. All rts. reserv.

0005827559

Lobelia plant named 'Weslospot' Inventor: Westhoff, Heinrich, INV

Assignee: Josef und Heinrich Westhoff Gartenbau- Spezialkulturen (03),

Sudlohn, DE

Correspondence Address: Catherine Anne Whealy Proprietary Rights International, P.O. Box 220, Tolar, TX, 76476, US

	Publication Number	Kind	Date	Application Number	Filing Date
Main Patent Priority	US 20040199971	P1	20041007	US 2004805581 EP 2003198	20040320 20030203

US Classification on document (Main): PLT268000

International Classification (Edition 07): A01H-005/00

Fulltext Word Count: 1993

Number of Claims: 1

Exemplary or Independent Claim Number(s): 1

Number of Drawing Sheets: 1

Number of Figures: 2

Abstract:

A new and distinct cultivar of Lobelia plant named `Weslospot', characterized by its cascading plant habit; freely branching habit with short internodes; continuously and freely flowering habit; densely pubescent leaves; light blue and white bi-colored flowers; and relatively tolerant to high temperatures

Summary of the Invention:

BOTANICAL CLASSIFICATION/CULTIVAR DESIGNATION

[0001]LobeliaXhybrida cultivar WESLOSPOT

BACKGROUND OF THE INVENTION

[0002] The present Invention relates to a new and distinct cultivar of Lobelia plant, botanically known as Lobelia erinus, and hereinafter

referred to by the name ` Weslospot '.

[0003] The new **Lobelia** is a product of a planned breeding program conducted by the Inventor in S[u, dieresis or umlaut mark]dlohn, Germany. The objective of the breeding program was to develop new **Lobelia** cultivars with continuous flowering, interesting flower colors and high temperature tolerance.

[0004] The new **Lobelia** originated from a cross-pollination made by the Inventor in 2002 of a proprietary selection of **Lobelia** erinus identified as code number 01P050, not patented, as the female, or seed, parent with a proprietary selection of **Lobelia** erinus identified as code number 01P508, not patented, as the male, or pollen, parent. The new **Lobelia** was discovered and selected by the Inventor from within the resultant progeny from the above-mentioned cross-pollination in a controlled environment in S[u, dieresis or umlaut mark]dlohn, Germany in 2002.

[0005] Asexual reproduction since 2002 of the new cultivar by terminal cuttings in a controlled environment in S[u, dieresis or umlaut mark]dlohn, Germany, has shown that the unique features of this new **Lobelia** are stable and reproduced true to type in successive generations SUMMARY OF THE INVENTION

[0006] The following traits have been repeatedly observed and are determined to be the unique characteristics of `Weslospot'. These characteristics in combination distinguish `Weslospot' as a new and distinct cultivar:

- [0007] 1. Cascading plant habit.
- [0008] 2. Freely branching habit with short internodes.
- [0009] 3. Continuously and freely flowering habit0010] 4. Densely pubescent leaves.
 - [0011] 5. Light blue and white bi-colored flowers.
 - [0012] 6. Relatively tolerant to high temperatures.
- [0013] Plants of the new **Lobelia** have larger flowers than plants of the female parent, a proprietary selection identified as code number 01P050. In addition, plants of the new **Lobelia** and the female parent selection differ in flower color. Plants of the new **Lobelia** have foliage with dense pubescence compared to the smooth foliage of plants of the male parent, a proprietary selection identified as code number 01P508. In addition, plants of the new **Lobelia** have plants with thicker stems and lighter colored flowers than plants of the male parent selection0014] Plants of the new **Lobelia** differ primarily from plants of the cultivar Wesloarc, disclosed in a U.S. Plant patent application filed concurrently, primarily in flower color.
- [0015] Plants of the cultivar **Weslospot** can be compared to the cultivar Weslowei, disclosed in U.S. Plant Pat. No. 12,708. However, in side-by-side comparisons conducted in S[u, dieresis or umlaut mark]dlohn, Germany, plants of the cultivar **Weslospot** and the cultivar **Weslowei** differed in the following characteristics:
- [0016] 1. Leaves and stems of plants of the new **Lobelia** were more pubescent than leaves and stems of plants of the cultivar Weslowei.
- [0017] 2. Plants of the new **Lobelia** flowered more continuously than plants of the cultivar Weslowei.
- [0018] 3. Plants of the new **Lobelia** and the cultivar Weslowei differed in flower color.
- [0019] 4. Sepals of plants of the new **Lobelia** were smaller than sepals of plants of the cultivar Weslowei.

- [0020] 5. Plants of the new **Lobelia** were more tolerant to high temperatures than plants of the cultivar Weslowei.
- [0021] Plants of the new **Lobelia** can also be compared to plants of the cultivar Weslobigblue, disclosed in U.S. Plant Pat. No. 12,634. However, in side-by-side comparisons conducted in S[u, dieresis or umlaut mark] dlohn, Germany, plants of the new **Lobelia** differed from plants of the cultivar Weslobigblue in the following characteristics:
- [0022] 1. Leaves and stems of plants of the new **Lobelia** were more pubescent and differed in color compared to leaves and stems of plants of the cultivar Weslobigblue.
- [0023] 2. Stems of plants of the new **Lobelia** were shorter and narrower than stems ofplants of the cultivar Weslobigblue.
- [0024] 3. Plants of the new **Lobelia** had smaller flowers than plants of the cultivar Weslobigblue.
- [0025] 4. Flowers of plants of the new **Lobelia** were lighter blue in color than flowers of plants of the cultivar Weslobigblue.

Description of the Drawings:

BRIEF DESCRIPTION OF THE PHOTOGRAPHS

[0026] The accompanying colored photographs illustrate the overall appearance of the new cultivar, showing the colors as true as it is reasonably possible to obtain in colored reproductions of this type. Colors in the photographs may differ slightly from the color values cited in the detailed botanical description, which accurately describe the actual colors of the new Lobelia . The photograph at the top of the sheet comprises a side view of a typical plant of `Weslospot' grown in a window box container. The photograph at the bottom of the sheet comprises a close-up view of a typical individual flower of `Weslospot

Description of the Invention:

DETAILED BOTANICAL DESCRIPTION

- [0027] Plants of the cultivar **Weslospot** have not been observed under all possible environmental conditions. The phenotype may vary somewhat with variations in environment such as temperature and light intensity without, however, any variance in genotype.
- [0028] In the following description, color references are made to The Royal Horticultural Society Colour Chart, 2001 Edition, except where general terms of ordinary dictionary significance are used. Plants used for the description were grown in a glass-covered greenhouse and conditions that closely approximate commercial production conditions during the spring and summer in S[u, dieresis or umlaut mark]dlohn, Germany. Plants used for the above-mentioned photographs and following description were grown as one plant per 12-cm container or three plants per 25-cm hanging basket container. During the production of the plants, day temperatures ranged from 20 to 25 degree C. and night temperatures ranged from 16 to 18 degree C. Plants were pinched once during the production period by removing about 1 to 2 cm of the uppermost apical growing tip. Plants were about 20 weeks from planting when the photographs and description were taken.

BOTANICAL CLASSIFICATION

PARENTAGE

[0030] Female parent: Proprietary selection of **Lobelia** erinus identified as code number 01P050, not patented0031] Male parent: Proprietary selection of **Lobelia** erinus identified as code number 01P508, not patented.

PROPAGATION

- [0032] Type cutting: Terminal vegetative cuttings.
- [0033] Time to initiate roots: About 18 to 21 days at 20 degree C.
- [0034] Time to develop roots: About 20 to 28 days at 20 degree C0035] Root description: Fine, fibrous and well-branched.

PLANT DESCRIPTION

- [0036] Plant form/habit: Cascading flowering plants with light blue and white-colored flowers. Lateral shoots outwardly spreading; plants uniform with dense foliage. Foliage and stems are very pubescent. Freely branching with lateral branches forming at every node; dense and bushy plant habit. Pinching plants enhances branching. Moderately vigorous growth habit.
- [0037] Usage: Appropriate for hanging baskets, window boxes and patio containers.
 - [0038] Plant height (soil level to top of plant plane): About 16 cm.
- [0039] Plant length (soil level to lateral branches apices): About 68 cm.
 - [0040] Plant diameter: About 50 to 60 cm.
 - [0041] Lateral branch description:
 - [0042]Length.- About 17 cm.
 - [0043] Diameter. About 1.6 mm.
 - [0044] Internode length. About 1.7 cm.
 - [0045] Texture. Densely pubescent.
 - [0046]Color. 138A.
 - [0047] Foliage description:
 - [0048]Arrangement. Alternate; simple.
- [0049]Basal leaves.- Length: About 4.8 cm. Width: About 2.9 cm. Shape: Nearly round. Apex: Retuse. Base: Attenuate. Margin: Slightly crenate. Petiole length: About 1.5 mm.
- [0050]Mid -plant leaves.-Length: About 3.5 cm. Width: About 2.1 cm. Shape: Ovate. Apex: Rounded. Base: Attenuate. Margin: Crenate. Petiole length: About 1 cm.
- [0051]Apical leaves.- Length: About 2.7 cm. Width: About 7.7 mm. Shape: Oblanceolate. Apex: Slightly acute. Base: Attenuate. Margin: Mostly entire. Petiole length: Petioles not observed.
- [0052] Texture, all leaves, upper and lower surfaces. Densely pubescent.
- [0053]Color, all leaves.- Developing foliage, upper surface: 146A. Developing foliage, lower surface: 146B. Fully developed foliage, upper surface: 147A; venation, 147B. Fully developed foliage, lower surface: 147B; venation, 147B.

* FLOWER DESCRIPTION

[0054] Flower type and habit: Flowers arranged singly at lateral apices. Flowers held mostly outwardly. Flowers persistent. Older flowers are overgrown by new flowers and foliage. Freely and continuously flowering. Flowers not fragrant.

[0055] Flower shape: Tubular with three larger lower petals and two upright petals.

[0056] Natural flowering season: Spring until frost in the autumn.

[0057] Flower longevity on the plant: Longevity of individual flowers is highly dependent on weather conditions; typically three to ten days. [0058] Flower size:

[0059] Diameter. - About 1.9 cm.

[0060]Depth (height).-About 1.8 cm.

[0061] Tube length. - About 1 cm.

[0062] Throat diameter, distal end. - About 4.1 mm.

[0063] Tube diameter, proximal end. - About 2.7 mm.

[0064] Flower buds:

[0065] Length. - About 1.1 cm.

[0066] Diameter. - About 2.4 mm.

[0067] Shape. - Oblong.

[0068]Color.- Towards the base, 145D; towards the apex, close to 145C; with development, color becoming closer to 122B to 122C.
[0069] Petals:

[0070]Arrangement. - Single whorl of five petals, fused; three larger lower petals and two smaller upper petals.

[0071] Three lower petals. - Shape: Obovate. Length, above throat: About 1.2 cm. Width: About 6.4 mm.

[0072] Two upper petals. - Shape: Spatulate. Length, above throat: About 6.7 mm. Width: About 3.1 mm.

[0073]Upper and lower petals.- Apex: Cuspidate. Margin: Entire. Texture, upper and lower surfaces: Smooth, satiny. Color: When opening, upper surface: 96D, towards the center, 155C. When opening, lower surface: 97B, towards the center, 155C. Fully opened, upper surface: 97A to 97B, towards the center, 155C. Petal, fully opened, lower surface: 97B, towards the center, 155C. Throat: 155C; spots, 93A to 93C. Tube: 97C to 97D; spots, 97B.

[0074] Sepals:

[0075]Arrangement.- Single whorl of five sepals, star-shaped calyx. [0076]Length.- About 7.7 mm.

[0077]Width.- About 1.1 mm.

[0078] Shape. - Elliptic.

[0079]Apex. - Acute.

, [0080] Margin. - Entire.

[0081] Texture, upper and lower surfaces. - Smooth.

[0082]Color, upper and lower surfaces. - 137A.

[0083] Peduncles:

[0084] Appearance. - Wiry.

[0085]Length. - About 2.3 cm.

[0086]Diameter. - About 9 mm.

[0087] Texture. - Densely pubescent.

[0088]Color.- 137A.

[0089] Reproductive organs:

[0090] Stamens. - Quantity per flower: About five, fused. Anther length: About 2.5 mm. Anther diameter: About 1.8 mm. Anther color: 186A. Pollen amount: Moderate. Pollen color: 8A.

[0091]Pistils.- Quantity per flower: One. Pistil length: About 6.2 mm. Stigma shape: Two - parted, ovate. Stigma texture: Pubescent. Stigma color, immature: 186A. Stigma color, fully mature: 81A to 81C. Style length: About 4 mm. Style color: 145A. Ovary color: 145A.

[0092]Seed/fruit. - Seed and fruit production have not been observed.

DISEASE/PEST RESISTANCE

[0093] Plants of the new ${f Lobelia}$ have not been noted to be resistant to pathogens and pests common to ${f Lobelia}$. TEMPERATURE TOLERANCE

[0094] Plants of the new Lobelia have been observed to tolerate temperatures ranging from 2 to 30 degree C.

It is claimed:

Exemplary or Independent Claim(s):

1. A new and distinct cultivar of Lobelia plant named `Weslospot', as illustrated and described.

Lobelia plant named ' Weslospot '

Abstract:

A new and distinct cultivar of **Lobelia** plant named `Weslospot', characterized by its cascading plant habit; freely branching habit with short internodes; continuously and freely...

Summary of the Invention:

...0001]LobeliaXhybrida cultivar **WESLOSPOT**

. . .

...0002] The present Invention relates to a new and distinct cultivar of **Lobelia** plant, botanically known as **Lobelia** erinus, and hereinafter referred to by the name `Weslospot'.

[...

...0003] The new **Lobelia** is a product of a planned breeding ...or umlaut mark]dlohn, Germany. The objective of the breeding program was to develop new **Lobelia** cultivars with continuous flowering, interesting

flower colors and high temperature tolerance...

- ...0004] The new Lobelia originated from a cross-pollination made by the Inventor in 2002 of a proprietary selection of Lobelia erinus identified as code number 01P050, not patented, as the female, or seed, parent with a proprietary selection of Lobelia erinus identified as code number 01P508, not patented, as the male, or pollen, parent. The new Lobelia was discovered and selected by the Inventor from within the resultant progeny from the above...
- features of this new Lobelia are stable and reproduced true to type in successive generations...following traits have been repeatedly observed and are determined to be the unique characteristics of `Weslospot'. These characteristics in combination distinguish `Weslospot' as a new and distinct cultivar...0013] Plants of the new Lobelia have larger flowers than plants of the female parent, a proprietary selection identified as code number 01P050. In addition, plants of the new Lobelia and the female parent selection differ in flower color. Plants of the new Lobelia have foliage with dense pubescence compared to the smooth foliage of plants of the male parent, a proprietary selection identified as code number 01P508. In addition, plants of the new Lobelia have plants with thicker stems and lighter colored flowers than plants of the male parent0014] Plants of the new Lobelia differ primarily from plants of the cultivar Wesloarc, disclosed in a U.S. Plant patent...
- ...0015] Plants of the cultivar **Weslospot** can be compared to the cultivar Weslowei, disclosed in U.S. Plant Pat. No. 12...
 ...comparisons conducted in S[u, dieresis or umlaut mark]dlohn, Germany, plants of the cultivar **Weslospot** and the cultivar Weslowei differed in the following characteristics...
- ...0016] 1. Leaves and stems of plants of the new **Lobelia** were more pubescent than leaves and stems of plants of the cultivar Weslowei...
- ...0017] 2. Plants of the new **Lobelia** flowered ...0018] 3. Plants of the new **Lobelia** and the cultivar Weslowei differed in flower color...
- ...0019] 4. Sepals of plants of the new **Lobelia** were smaller than sepals of plants of the cultivar Weslowei...
- ...0020] 5. Plants of the new **Lobelia** were more tolerant to high temperatures than plants of the cultivar Weslowei...
- ...0021] Plants of the new **Lobelia** can also be compared to plants of the cultivar Weslobigblue, disclosed in U.S. Plant dlohn, Germany, plants of the new **Lobelia** differed from plants of the cultivar Weslobigblue in the following characteristics...
- ...0022] 1. Leaves and stems of plants of the new **Lobelia** were more pubescent and differed in color compared to leaves and stems of plants of ...
- ...0023] 2. Stems of plants of the new **Lobelia** were shorter and narrower than stems ofplants of the cultivar Weslobigblue...
- ...0024] 3. Plants of the new **Lobelia** had smaller flowers than plants of the cultivar Weslobigblue...
- ...0025] 4. Flowers of plants of the new **Lobelia** were lighter blue in color than flowers of

Description of the Drawings:

...cited in the detailed botanical description, which accurately describe the actual colors of the new **Lobelia**. The photograph at the top of the sheet comprises a side view of a typical plant of `Weslospot' grown in a window box container. The photograph at the bottom of the sheet

comprises a close-up view of a typical individual flower of `Weslospot

Description of the Invention:

...0027] Plants of the cultivar **Weslospot** have not been observed under all possible environmental conditions. The phenotype may vary somewhat with...0029] **Lobelia** erinus cultivar **Weslospot**.

. . .

...0030] Female parent: Proprietary selection of Lobelia erinus identified as code number 01P050, not patented0031] Male parent: Proprietary selection of Lobelia erinus identified as code number 01P508, not patented...0093] Plants of the new Lobelia have not been noted to be resistant to pathogens and pests common to Lobelia.

. . .

...0094] Plants of the new **Lobelia** have been observed to tolerate temperatures

Exemplary or Independent Claim(s):

1. A new and distinct cultivar of **Lobelia** plant named `Weslospot', as illustrated and described.

?t s3 9, k/1

>>>'9' invalid after set or accession number

? T s3/ 9,k/1

>>>KWIC option is not available in file(s): 399

3/9,K/1 (Item 1 from file: 654)

DIALOG(R) File 654: US Pat. Full.

(c) Format only 2004 The Dialog Corp. All rts. reserv.

0005827558

Lobelia plant named ' Wesloba ' Inventor: Westhoff, Heinrich, INV

Assignee: Josef und Heinrich Westhoff-Spezialkulturen (03), Sudlohn, DE

Correspondence Address: Catherine Anne Whealy Proprietary Rights

International, P.O. Box 220, Tolar, TX, 76476, US

	Publication Number	Kind	Date	Application Number	Filing Date
Main Patent Priority	US 20040199970	P1	20041007	US 2004805579 EP 2003196	20040320 20030203

US Classification on document (Main): PLT263000

International Classification (Edition 07): A01H-005/00

Fulltext Word Count: 1739

Number of Claims: 1

Exemplary or Independent Claim Number(s): 1

Number of Drawing Sheets: 1

Number of Figures: 2

Abstract:

A new and distinct cultivar of **Lobelia** plant named `Wesloba', characterized by its cascading plant habit; freely branching habit; short intemodes; freely and uniform flowering habit; and dark blue and white bi-colored flowers

Summary of the Invention:

BOTANICAL CLASSIFICATION/CULTIVAR DESIGNATION

[0001]LobeliaXhybrida cultivar WESLOBA